

From: [Tzhone, Stephen](#)
To: [Mescher, Jean A](#); [Moix, Mark](#)
Cc: [Fleer, James](#)
Subject: RE: Arkwood Results - 3/17/15
Date: Tuesday, April 14, 2015 4:41:00 PM

Hi Jean,

Electronic attachment received, thanks.

Thanks,

Stephen L. Tzhone
Superfund Remedial Project Manager
214.665.8409
tzhone.stephen@epa.gov

From: Mescher, Jean A [<mailto:Jean.Mescher@McKesson.com>]
Sent: Tuesday, April 14, 2015 4:23 PM
To: Tzhone, Stephen; Moix, Mark
Cc: Fleer, James
Subject: FW: Arkwood Results - 3/17/15

Stephen and Mark,

Please see attached results for the sampling conducted on 3-17-15: 20.7 ppb PCP at New Cricket Spring mouth and 1.06 ppb PCP at the weir.

Jean

From: Fleer, James
Sent: Thursday, April 09, 2015 2:11 PM
To: Mescher, Jean A
Subject: FW: Arkwood Results - 3/17/15

Jean,

Here is the transmittal e-mail.

Best Regards,

James Fleer

Director, Environmental Services
McKesson Corporation

From: Sydney James [<mailto:sjames@arkansasanalytical.com>]
Sent: Wednesday, March 25, 2015 2:21 PM

To: Fleer, James
Subject: Arkwood Results - 3/17/15



NOTICE Good Friday Holiday Closing:



Good Friday - Closed Friday, 4/3/15

Thanks,
Sydney James Randles
www.arkansasanalytical.com



11701 Interstate 30
Bldg. 1, Ste. 115
Little Rock, AR 72209
501-455-3233
501-455-6118 (fax)

Business Hours - Mon-Thur - 8am-5pm, Fri - 8am-4pm

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.